
Stationary Mode Tests

* Applied Concepts Stalker Dual


Modulation stronger in audio monitor at 120' with no target & Display shows 79 MPH for target speed

During tracking of traffic all operation was normal & no interference




- Stationary Mode Tests
 - * Applied Concepts Stalker Dual

Filters or gain switching & modulation of SWT heard at 100'
No target speeds displayed & operation normal when traffic passes



- **Stationary Mode Tests**
 - * Applied Concepts Stalker Dual


Oscillation heard in audio & 53 MPH displayed at range of 75'



Stationary Mode Tests


* Applied Concepts Stalker Dual

Modulation of SWT heard & target window displays 26 MPH at 50'



- Stationary Mode Tests
 - **❖ Kustom KR-10**


No modulation heard & no effects on display at 50'



Stationary Mode Tests

❖ Decatur Electronics M. V. Range Master


No modulation heard & no effects on display at 50'



Stationary Mode Tests

♦ MPH Inc. K-55

No modulation heard and no effects on display at 50'



Moving Mode Radar Tests

No Effect of SWT noticed during moving tests at speed of 30 MPH on any of the radars that were being tested.

Radar System Frequency Stability Testing

❖ Reason For Stability Tests


- ◆ Determine if radar would drift down in frequency to 24.100 GHz
- ◆ SWT carrier could interfere if radar frequency within 10 KHz of radar

* Drift Measured from "cold" to 30 minutes warm-up

Radar Type	Starting Frequency	Ending Frequency	Total Drift
ACI Stalker	24.149 GHz	24.134 GHz	15.0 MHz
Decatur Rangemas	ter 24.171 GHz	24.143 GHz	28.3 MHz
Kustom KR-10	24.166 GHz	24.164 GHz	2.0 MHz
MPH K-55	24.158 GHz	24.156 GHz	2.0 MHz

❖ Frequency drift of ACI Stalker is the worst case that was measured

Radar System Frequency Stability Testing




Technical Issues Raised by Cobra Inc. - 1


Power Supply Issues Raised by Cobra

- Q What is the power supply?
- A 12 Volt, 7 Amp hour Gel-Cell Battery
- Q What happens " if its battery goes dead or power supply is interrupted ?"
- A The Prototype operates with reduced power until the battery reaches a level of 6.5 volts at which time the modulation stops. At 6 volts the transmitter stops transmitting.


SWT Performance at 13.8 Volts




SWT Performance at 9.0 Volts



SWT Performance at 7.0 Volts




SWT Performance at 6.0 Volts



SWT Prototype Battery Discharge History

SWT Battery Discharge Curve Starting at 14 Hours, 23 Minutes, & 55 Seconds of Operation



Technical Issues Raised by Cobra Inc. - 2

- Q Why does the RADAR unit use higher power than the Cobra Safety Transmitter?
- A The RADAR mode requires higher power for vehicle detection given the 1/R4 losses and resulting short vehicle dwell time in the beam.
- A Overtaking emergency vehicles carrying the system illuminates the warning receivers from the back in the backlobe of the receiver antenna where a response null exists.

Conclusions

- Interference with Police Radar Operations thought not to be a problem when the Police radar is operated according to NHTSA guidelines.
 - Unattended transmitter operating out of control thought not to be a problem.

CERTIFICATE OF SERVICE

I, Chellestine Johnson, a secretary in the law firm of Fletcher, Heald & Hildreth, P.L.C., do hereby certify that copies of the foregoing "Supplementary Comments" were sent this 22nd day of March, 1996. by hand delivery and first-class United States mail, postage prepaid, to:

Mr. Richard M. Smith*
Chief, Office of Engineering and
Technology
Federal Communications Commission
2000 M Street, N.W. - Room 480
Washington, D.C. 20554

Mr. Robert McNamara*
Chief, Private Wireless Division
Federal Communications Commission
2025 M Street, N.W. - Room 8010
Washington, D.C. 20554

Mr. Eugene Thomson*
Private Wireless Bureau
Federal Communications Commission
2025 M Street, N.W. - Room 8010
Washington, D.C. 20554

John J. Borkowski, Esquire*
Senior Attorney
Private Wireless Division
FCC - Wireless Telecommunications Bureau
2025 M Street, N.W. - Room 5202
Washington, D.C. 20554

Mr. A. Michael Burnell President, Whistler 16 Elizabeth Drive Chelmsford, MA 01824

Mr. Jef Fry, National Sales and Marketing Manager SANYO TECNICA USA Inc. 5420 West Southern Avenue - Suite 104 Indianapolis, IN 46241 Ms. Michele C. Farquhar*
Chief, Wireless Telecommunications
Bureau
Federal Communications Commission
2025 M Street, N.W. - Room 5002
Washington, D.C. 20554

Mr. Herbert W. Zeiler*
Deputy Chief, Private Wireless Division
Federal Communications Commission
2025 M Street, N.W. - Room 8010
Washington, D.C. 20554

Mr. Richard B. Engelman*
Chief, Technical Rules Branch
Federal Communications Commission
2000 M Street, N.W. - Room 480
Washington, D.C. 20554

Henry M. Rivera, Esquire Larry S. Solomon, Esquire Ginsburg, Feldman & Bress 1250 Connecticut Avenue, N.W. Washington, D.C. 20036-2600 Attorney for COBRA Electronics Corp.

Mr. Robert S. Gammenthaler Chief Engineer, Applied Concepts Inc. 730 F Avenue - Suite 200 Plano, Texas 75074

Mr. Anthony A. MirabelliVice President, UNIDEN AmericaCorporation4700 Amon Carter Blvd.Ft. Worth, TX 76155

*VIA HAND DELIVERY

Mr. Stephen E. Krug Vice President and General Manager BEL-TRONICS LIMITED 8100 SAG1 Parkway Covington, GA 30209 Dr. R.A. Cassanova Head, Advanced Transportation Systems Georgia Tech Research Institute 225 North Avenue N.W. Atlanta, GA 30332

Chellestine Johnson